



Ethernet 4 Digit Mega Series

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Height	Display		Sides	Viewing Distance	Dimensions			Price MSRP
		Color	Type			H	W	D	
ENM418B	1.8"	Blue	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 364
ENM418B-2S	1.8"	Blue	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 706
ENM418B-4S	1.8"	Blue	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,244
ENM418G	1.8"	Green	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 364
ENM418G-2S	1.8"	Green	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 706
ENM418G-4S	1.8"	Green	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,244
ENM418R	1.8"	Red	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 315
ENM418R-2S	1.8"	Red	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 562
ENM418R-4S	1.8"	Red	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,051

ENM425B	2.5"	Blue	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 430
ENM425B-2S	2.5"	Blue	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 788
ENM425B-4S	2.5"	Blue	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,502
ENM425G	2.5"	Green	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 430
ENM425G-2S	2.5"	Green	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 788
ENM425G-4S	2.5"	Green	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,502
ENM425R	2.5"	Red	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 358
ENM425R-2S	2.5"	Red	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 644
ENM425R-4S	2.5"	Red	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,214

ENM440B	4.0"	Blue	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 514
ENM440B-2S	4.0"	Blue	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 936
ENM440B-4S	4.0"	Blue	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,780
ENM440G	4.0"	Green	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 514
ENM440G-2S	4.0"	Green	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 936
ENM440G-4S	4.0"	Green	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,780
ENM440R	4.0"	Red	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 419
ENM440R-2S	4.0"	Red	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 743
ENM440R-4S	4.0"	Red	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,395

ENM470R	7.0"	Red	Bar Segment	1	300 ft	10.87	35.25	2.25	\$ 743
ENM470R-2S	7.0"	Red	Bar Segment	2	300 ft	10.87	35.25	4.50	\$ 1,465
ENM470R-4S	7.0"	Red	Bar Segment	4	300 ft	10.87	35.25	35.25	\$ 2,701
ENM470UR	7.0"	Red	Ultra Bright	1	400 ft	9.87	31.25	2.25	\$ 828
ENM470UR-2S	7.0"	Red	Ultra Bright	2	400 ft	9.87	31.25	4.50	\$ 1,626
ENM470UR-4S	7.0"	Red	Ultra Bright	4	400 ft	9.87	34.50	34.50	\$ 3,007

ENM4120R	12.0"	Red	Ultra Bright	1	600 ft	14.75	47.25	2.25	\$ 1,104
ENM4120R-2S	12.0"	Red	Ultra Bright	2	600 ft	14.75	47.25	4.50	\$ 2,059

ENM4180R	18.0"	Red	Ultra Bright	1	800 ft	20.25	58.25	2.25	\$ 1,494
ENM4180R-2S	18.0"	Red	Ultra Bright	2	800 ft	20.25	58.25	4.50	\$ 2,840



Ethernet 6 Digit Mega Series

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Display		Sides	Viewing Distance	Dimensions			Price MSRP
	HH:MM	Seconds	Color	Type			H	W	D	
ENM618B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 502
ENM618B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 953
ENM618G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 502
ENM618G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 953
ENM618R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 407
ENM618R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 761

ENM625B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 584
ENM625B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 1,058
ENM625G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 584
ENM625G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 1,058
ENM625R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 464
ENM625R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 818

ENM640B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 711
ENM640B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,314
ENM640G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 711
ENM640G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,314
ENM640R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 543
ENM640R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 979

ENM670R	7.0	7.0	Red	Bar Segment	1	300 ft	9.88	47.75	2.25	\$ 864
ENM670R-2S	7.0	7.0	Red	Bar Segment	2	300 ft	9.88	47.75	4.50	\$ 1,579
ENM670UR	7.0	7.0	Red	Ultra Bright	1	400 ft	9.87	47.75	2.25	\$ 864
ENM670UR-2S	7.0	7.0	Red	Ultra Bright	2	400 ft	9.87	47.75	4.50	\$ 1,579

ENM6120R	12.0	12.0	Red	Ultra Bright	1	600 ft	14.75	73.25	2.25	\$ 1,236
ENM6120R-2S	12.0	12.0	Red	Ultra Bright	2	600 ft	14.75	73.25	4.50	\$ 2,323

ENM6180R	18.0	18.0	Red	Ultra Bright	1	800 ft	20.25	89.25	2.25	\$ 2,167
ENM6180R-2S	18.0	18.0	Red	Ultra Bright	2	800 ft	20.25	89.25	4.50	\$ 2,840



ENM640R



ENM670R

800-295-0220



Ethernet 8 Digit Mega Series

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Color	Display Type	Sides	Viewing Distance	Dimensions			Price MSRP
	1st	2nd					H	W	D	
ENM818B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 514
ENM818B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,160
ENM818G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 514
ENM818G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,160
ENM818R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 419
ENM818R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 775

ENM825B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 595
ENM825B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 1,074
ENM825G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 595
ENM825G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 1,074
ENM825R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 475
ENM825R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 833

ENM840B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 719
ENM840B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,325
ENM840G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 719
ENM840G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,325
ENM840R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 552
ENM840R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 988

ENM870R	7.0	4.0	Red	Bar Segment	1	300 ft	9.88	40.25	2.25	\$ 864
ENM870R-2S	7.0	4.0	Red	Bar Segment	2	300 ft	9.88	40.25	4.50	\$ 1,665

ENM8120R	12.0	7.0	Red	Ultra Bright	1	600 ft	15.00	96.25	2.25	\$ 1,944
----------	------	-----	-----	--------------	---	--------	-------	-------	------	----------



ENM840G showing time and date information



Ethernet 4 Digit Tiger Series

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Height	Display		Sides	Viewing Distance	Dimensions			Price MSRP
		Color	Type			H	W	D	
ENT418B	1.8	Blue	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 397
ENT418B-2S	1.8	Blue	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 739
ENT418B-4S	1.8	Blue	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,277
ENT418G	1.8	Green	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 397
ENT418G-2S	1.8	Green	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 739
ENT418G-4S	1.8	Green	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,277
ENT418R	1.8	Red	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 348
ENT418R-2S	1.8	Red	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 595
ENT418R-4S	1.8	Red	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,084

ENT425B	2.5	Blue	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 463
ENT425B-2S	2.5	Blue	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 821
ENT425B-4S	2.5	Blue	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,535
ENT425G	2.5	Green	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 463
ENT425G-2S	2.5	Green	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 821
ENT425G-4S	2.5	Green	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,535
ENT425R	2.5	Red	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 391
ENT425R-2S	2.5	Red	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 677
ENT425R-4S	2.5	Red	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,247

ENT440B	4.0	Blue	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 547
ENT440B-2S	4.0	Blue	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 969
ENT440B-4S	4.0	Blue	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,813
ENT440G	4.0	Green	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 547
ENT440G-2S	4.0	Green	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 969
ENT440G-4S	4.0	Green	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,813
ENT440R	4.0	Red	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 452
ENT440R-2S	4.0	Red	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 776
ENT440R-4S	4.0	Red	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,428

ENT470R	7.0	Red	Bar Segment	1	300 ft	9.87	31.25	2.25	\$ 776
ENT470R-2S	7.0	Red	Bar Segment	2	300 ft	9.87	31.25	4.50	\$ 1,492
ENT470R-4S	7.0	Red	Bar Segment	4	300 ft	9.87	34.50	34.50	\$ 2,734

ENT4120R	12.0	Red	Ultra Bright	1	600 ft	14.75	47.25	2.25	\$ 1,137
ENT4120R-2S	12.0	Red	Ultra Bright	1	600 ft	14.75	47.25	4.50	\$ 2,092

ENT4180R	18.0	Red	Ultra Bright	1	800 ft	20.25	58.25	2.25	\$ 1,527
ENT4180R-2S	18.0	Red	Ultra Bright	1	800 ft	20.25	58.25	4.50	\$ 2,873



ENT4180R



Ethernet 6 Digit Tiger Series

800-295-0220

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Color	Display Type	Sides	Viewing Distance	Dimensions			Price MSRP
	HH:MM	Seconds					H	W	D	
ENT618B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 535
ENT618B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 986
ENT618B-4S	1.8	1.8	Blue	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,709
ENT618G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 535
ENT618G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 986
ENT618G-4S	1.8	1.8	Green	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,709
ENT618R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 440
ENT618R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 794
ENT618R-4S	1.8	1.8	Red	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,324

ENT625B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 617
ENT625B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 1,091
ENT625B-4S	2.5	1.8	Blue	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 2,086
ENT625G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 617
ENT625G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 1,091
ENT625G-4S	2.5	1.8	Green	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 2,086
ENT625R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 497
ENT625R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 851
ENT625R-4S	2.5	1.8	Red	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,606

ENT640B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 744
ENT640B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,347
ENT640B-4S	4.0	2.5	Blue	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,524
ENT640G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 744
ENT640G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,347
ENT640G-4S	4.0	2.5	Green	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,524
ENT640R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 576
ENT640R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,012
ENT640R-4S	4.0	2.5	Red	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 1,852

ENT670R	7.0	7.0	Red	Bar Segment	1	300 ft	9.88	47.75	2.25	\$ 897
ENT670R-2S	7.0	7.0	Red	Bar Segment	2	300 ft	9.88	47.75	4.50	\$ 1,612

ENT6120R	12.0	12.0	Red	Ultra Bright	1	600 ft	14.75	73.25	2.25	\$ 1,269
ENT6120R-2S	12.0	12.0	Red	Ultra Bright	2	600 ft	14.75	73.25	4.50	\$ 2,356

ENT6180R	18.0	18.0	Red	Ultra Bright	1	800 ft	20.25	89.25	2.25	\$ 2,200
ENT6180R-2S	18.0	18.0	Red	Ultra Bright	2	800 ft	20.25	89.25	4.50	\$ 2,873



ENT618G

800-295-0220



Ethernet 8 Digit Tiger Series

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Color	Display Type	Sides	Viewing Distance	Dimensions			Price MSRP
	1st	2nd					H	W	D	
ENT818B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 547
ENT818B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,193
ENT818B-4S	1.8	1.8	Blue	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,734
ENT818G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 547
ENT818G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,193
ENT818G-4S	1.8	1.8	Green	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,734
ENT818R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 452
ENT818R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 808
ENT818R-4S	1.8	1.8	Red	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,349

ENT825B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 528
ENT825B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 1,107
ENT825B-4S	2.5	1.8	Blue	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 2,098
ENT825G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 628
ENT825G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 1,107
ENT825G-4S	2.5	1.8	Green	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 2,098
ENT825R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 508
ENT825R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 866
ENT825R-4S	2.5	1.8	Red	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,618

ENT840B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 752
ENT840B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,358
ENT840B-4S	4.0	2.5	Blue	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,550
ENT840G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 752
ENT840G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,358
ENT840G-4S	4.0	2.5	Green	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,550
ENT840R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 585
ENT840R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,021
ENT840R-4S	4.0	2.5	Red	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 1,878

ENT870R	7.0	4.0	Red	Bar Segment	1	300 ft	9.88	40.25	2.25	\$ 897
ENT870R-2S	7.0	4.0	Red	Bar Segment	2	300 ft	9.88	40.25	4.50	\$ 1,698



ENT840B showing time and Julian date



Ethernet Alpha Clocks

Tiger Series

800-295-0220

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Height	Display			Maximum Pages	Viewing Distance	Dimensions			Price MSRP
		Color	Digits	Rows			H	W	D	
ENAC12-10-01G	1.2"	Green	10	1	25	35 ft	4.25	16.25	2.25	\$ 348
ENAC12-10-01R	1.2"	Red	10	1	25	35 ft	4.25	16.25	2.25	\$ 348
ENAC12-10-01Y	1.2"	Yellow	10	1	25	35 ft	4.25	16.25	2.25	\$ 348
ENAC12-10-02G	1.2"	Green	10	2	12	35 ft	8.25	16.25	2.25	\$ 508
ENAC12-10-02R	1.2"	Red	10	2	12	35 ft	8.25	16.25	2.25	\$ 508
ENAC12-10-02Y	1.2"	Yellow	10	2	12	35 ft	8.25	16.25	2.25	\$ 508
ENAC12-20-01G	1.2"	Green	20	1	12	35 ft	4.25	26.25	2.25	\$ 508
ENAC12-20-01R	1.2"	Red	20	1	12	35 ft	4.25	26.25	2.25	\$ 508
ENAC12-20-01Y	1.2"	Yellow	20	1	12	35 ft	4.25	26.25	2.25	\$ 508
ENAC12-20-02G	1.2"	Green	20	2	6	35 ft	8.25	26.25	2.25	\$ 828
ENAC12-20-02R	1.2"	Red	20	2	6	35 ft	8.25	26.25	2.25	\$ 828
ENAC12-20-02Y	1.2"	Yellow	20	2	6	35 ft	8.25	26.25	2.25	\$ 828
ENAC20-05-01G	2.0"	Green	5	1	51	70 ft	5.25	15.25	2.25	\$ 428
ENAC20-05-01R	2.0"	Red	5	1	51	70 ft	5.25	15.25	2.25	\$ 428
ENAC20-05-01Y	2.0"	Yellow	5	1	51	70 ft	5.25	15.25	2.25	\$ 428
ENAC20-05-02G	2.0"	Green	5	2	25	70 ft	10.25	15.25	2.25	\$ 608
ENAC20-05-02R	2.0"	Red	5	2	25	70 ft	10.25	15.25	2.25	\$ 608
ENAC20-05-02Y	2.0"	Yellow	5	2	25	70 ft	10.25	15.25	2.25	\$ 608
ENAC20-10-01G	2.0"	Green	10	1	25	70 ft	5.25	24.25	2.25	\$ 608
ENAC20-10-01R	2.0"	Red	10	1	25	70 ft	5.25	24.25	2.25	\$ 608
ENAC20-10-01Y	2.0"	Yellow	10	1	25	70 ft	5.25	24.25	2.25	\$ 608
ENAC20-10-02G	2.0"	Green	10	2	12	70 ft	10.25	24.25	2.25	\$ 968
ENAC20-10-02R	2.0"	Red	10	2	12	70 ft	10.25	24.25	2.25	\$ 968
ENAC20-10-02Y	2.0"	Yellow	10	2	12	70 ft	10.25	24.25	2.25	\$ 968
ENAC20-15-01G	2.0"	Green	15	1	17	70 ft	5.25	33.25	2.25	\$ 788
ENAC20-15-01R	2.0"	Red	15	1	17	70 ft	5.25	33.25	2.25	\$ 788
ENAC20-15-01Y	2.0"	Yellow	15	1	17	70 ft	5.25	33.25	2.25	\$ 788
ENAC20-15-02G	2.0"	Green	15	2	8	70 ft	10.25	33.25	2.25	\$ 1,328
ENAC20-15-02R	2.0"	Red	15	2	8	70 ft	10.25	33.25	2.25	\$ 1,328
ENAC20-15-02Y	2.0"	Yellow	15	2	8	70 ft	10.25	33.25	2.25	\$ 1,328
ENAC20-20-01G	2.0"	Green	20	1	12	70 ft	5.25	42.25	2.25	\$ 968
ENAC20-20-01R	2.0"	Red	20	1	12	70 ft	5.25	42.25	2.25	\$ 968
ENAC20-20-01Y	2.0"	Yellow	20	1	12	70 ft	5.25	42.25	2.25	\$ 968
ENAC20-20-02G	2.0"	Green	20	2	6	70 ft	10.25	42.25	2.25	\$ 1,688
ENAC20-20-02R	2.0"	Red	20	2	6	70 ft	10.25	42.25	2.25	\$ 1,688
ENAC20-20-02Y	2.0"	Yellow	20	2	6	70 ft	10.25	42.25	2.25	\$ 1,688
ENAC40-05-01R	4.0"	Red	5	1	51	100 ft	6.25	24.25	2.25	\$ 528
ENAC40-05-02R	4.0"	Red	5	2	25	100 ft	12.25	24.25	2.25	\$ 808
ENAC40-10-01R	4.0"	Red	10	1	25	100 ft	6.25	42.25	2.25	\$ 808
ENAC40-10-02R	4.0"	Red	10	2	12	100 ft	12.25	42.25	2.25	\$ 1,368
ENAC40-15-01R	4.0"	Red	15	1	17	100 ft	6.25	58.25	2.25	\$ 1,088
ENAC40-15-02R	4.0"	Red	15	2	8	100 ft	12.25	58.25	2.25	\$ 1,928
ENAC40-20-01R	4.0"	Red	20	1	12	100 ft	6.25	76.25	2.25	\$ 1,368
ENAC40-20-02R	4.0"	Red	20	2	6	100 ft	12.25	76.25	2.25	\$ 2,488





Ethernet Circle Line Clocks

Tiger Series

800-295-0220

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Height	Display		Time Zones	Viewing Distance	Dimensions			Price MSRP
		Color	Format			H	W	D	
ENCR821B	4.0	Blue	Time	1	100 ft	16.25	16.25	2.25	\$ 656
ENCR821G	4.0	Green	Time	1	100 ft	16.25	16.25	2.25	\$ 656
ENCR821R	4.0	Red	Time	1	100 ft	16.25	16.25	2.25	\$ 561

ENCR822B	2.5	Blue	Time	1	75 ft	16.25	16.25	2.25	\$ 572
ENCR822G	2.5	Green	Time	1	75 ft	16.25	16.25	2.25	\$ 572
ENCR822R	2.5	Red	Time	1	75 ft	16.25	16.25	2.25	\$ 500

ENCR823B	2.5	Blue	Time / Date	1	75 ft	16.25	16.25	2.25	\$ 921
ENCR823G	2.5	Green	Time / Date	1	75 ft	16.25	16.25	2.25	\$ 921
ENCR823R	2.5	Red	Time / Date	1	75 ft	16.25	16.25	2.25	\$ 785

ENCR825B	2.5	Blue	Local / Zulu	2	75 ft	16.25	16.25	2.25	\$ 921
ENCR825G	2.5	Green	Local / Zulu	2	75 ft	16.25	16.25	2.25	\$ 921
ENCR825R	2.5	Red	Local / Zulu	2	75 ft	16.25	16.25	2.25	\$ 785

Do you need the easy readability of a digital clock but enjoy the look of an analog clock? Now you can have the best of both types of displays thanks to the technology of our Circle Line series of digital clocks. The outer circle by default turns on the LED seconds on the first pass and turns them off individually on the second pass. If you prefer, there can be only one LED lit for each second as it travels around the circle. The inner digital LED display on model ENTCR821 and ENTCR822 can be set to show Hours : Minutes in 12 or 24 hour format. Model ENTCR823 shows time over date with the date in either American or European format. Model ENTCR825 shows local and Zulu (UTC) for military or government applications.



ENCR821G



ENCR822R



ENCR823G



ENCR825B



Options

800-295-0220

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Additional Function Options

Option	MSRP	Unit	Description
AB	\$ 28.78	Per Clock	Auto Brightness Option
IR	\$ 100.00	Per Clock	Infrared Remote Control and Receiver
IR1	\$ 45.00	Each	Additional Handheld Infrared Remote Control
LG018	\$ 27.79	Per Clock	Lexan Guard for 4, 6 or 8 digit 1.8 Inch LED clocks
LG025	\$ 48.63	Per Clock	Lexan Guard for 4, 6 or 8 digit 2.5 Inch LED clocks
LG040	\$ 69.48	Per Clock	Lexan Guard for 4, 6 or 8 digit 4.0 Inch LED clocks
NE1.5	\$ 104.00	Per Clock	NEMA4x Enclosure for 4 digit 1.8 inch and 2.5 inch
NE2	\$ 116.13	Per Clock	NEMA4x Enclosure for 4 digit 4.0 inch and 6 digit 1.8 inch
NE3	\$ 176.67	Per Clock	NEMA4x Enclosure for 6 digit 2.5 inch and 4.0 inch
RB1	\$ 60.00	Per Clock	Recessed Box for 4 digit displays
RB2	\$ 75.00	Per Clock	Recessed Box for 6 digit displays
TS	\$ 28.78	Per Clock	Temperature Sensor

Available Mounting Options for Double Sided Clocks (Wire Hang Default)

Option	MSRP	Unit	Description
HMC	\$ 28.00	Per Clock	Hug Mount, Ceiling (2 sided clocks)
HMW	\$ 28.00	Per Clock	Hug Mount, Wall (2 sided clocks)
PM1	\$ 28.00	Per Clock	Pole Mount, Single (2 or 4 sided clocks)

Alarm and Sound Devices for Tiger Series Only

Option	MSRP	Description
AP	\$ 34.74	Peizzo Buzzer (85 db at the clock)
AL	\$ 28.78	Single Channel Ouput Relay (Dry Contact)
AL4	\$ 118.11	4 Channel Ouput Relay for Zone Control (Dry Contact)

Available Frame Configurations

Option	Price	Description
F1	\$ -	Black with a rounded front edge (Default)
F3	\$ -	Silver with a rounded front edge
F4	\$ -	Black with a flat 90° front edge

Available Power Configurations

Option	Price	Description
P01	\$ -	110 volt AC Adapter with 18ft low voltage cord
P03	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, no plug, European Wiring
P04	\$ -	100-240 volts AC, 50-60 cycle, AC Adapter with 18ft cord
P05	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, used with Conduit Connector
P07	\$ -	24 volts AC or DC
P0808	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8ft cord and U.S. style plug
P0812	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 12ft cord and U.S. style plug
P09	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, short low profile U.S. style plug
P11	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8 ft cord and British plug
P12	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8 ft cord and Australian plug
P16	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8 ft cord and European plug



TERMS

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

GSA Customers - Contract Number GS-02F-0030U

Shipping to North American destinations is free of charge on UPS Ground. Shipping to APO/FPO addresses is free of charge on DHL with street address or the United States Postal Service. Tracing is unavailable on USPS and claims for lost shipments cannot be filed for 75 days. For these reasons, DHL is the preferred international shipment method.

Commercial and Industrial Customers

First time and international customers must be prepaid. Shipping to United States destinations is 4.75% of order total on UPS Ground. International destinations will be quoted. All freight arrangements are the responsibility of the customer if other carriers are required. International shipping charges are responsibility of customer for both order and warranty repairs.

Lead Time

Allow up to 3 weeks for standard production. Certain models are built to stock and will have a 1 week lead time. Fast Track Production within 5 business days is available on select models. Fast Track Production requires prepayment and costs 10% of the order total.

Warranty

See www.brgprecision.com/support/warranty.php for full warranty and return policy information. Standard warranty is 1 year with a 2 year extended warranty available at an additional cost.