



Serial Wire 4 Digit Tiger Master or Secondary

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Height	Display		Sides	Viewing Distance	Dimensions			Price MSRP
		Color	Type			H	W	D	
SWT418B	1.8	Blue	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 275
SWT418B-2S	1.8	Blue	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 617
SWT418B-4S	1.8	Blue	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,155
SWT418G	1.8	Green	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 275
SWT418G-2S	1.8	Green	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 617
SWT418G-4S	1.8	Green	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,155
SWT418R	1.8	Red	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 227
SWT418R-2S	1.8	Red	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 470
SWT418R-4S	1.8	Red	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 960

SWT425B	2.5	Blue	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 341
SWT425B-2S	2.5	Blue	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 700
SWT425B-4S	2.5	Blue	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,414
SWT425G	2.5	Green	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 341
SWT425G-2S	2.5	Green	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 700
SWT425G-4S	2.5	Green	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,414
SWT425R	2.5	Red	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 270
SWT425R-2S	2.5	Red	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 556
SWT425R-4S	2.5	Red	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,125

SWT440B	4.0	Blue	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 421
SWT440B-2S	4.0	Blue	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 847
SWT440B-4S	4.0	Blue	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,692
SWT440G	4.0	Green	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 426
SWT440G-2S	4.0	Green	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 847
SWT440G-4S	4.0	Green	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,692
SWT440R	4.0	Red	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 330
SWT440R-2S	4.0	Red	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 655
SWT440R-4S	4.0	Red	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,307

SWT470R	7.0	Red	Bar Segment	1	300 ft	10.87	35.25	2.25	\$ 655
SWT470R-2S	7.0	Red	Bar Segment	2	300 ft	10.87	35.25	4.50	\$ 1,376
SWT470R-4S	7.0	Red	Bar Segment	4	300 ft	10.87	38.25	38.25	\$ 2,613
SWT470UR	7.0	Red	Ultra Bright	1	400 ft	10.87	35.25	2.25	\$ 714
SWT470UR-2S	7.0	Red	Ultra Bright	2	400 ft	10.87	35.25	4.50	\$ 1,495
SWT470UR-4S	7.0	Red	Ultra Bright	4	400 ft	10.87	38.25	38.25	\$ 2,918

SWT4120R	12.0	Red	Ultra Bright	1	600 ft	14.75	47.25	2.25	\$ 1,015
SWT4120R-2S	12.0	Red	Ultra Bright	1	600 ft	14.75	47.25	4.50	\$ 1,970

SWT4180R	18.0	Red	Ultra Bright	1	800 ft	20.25	58.25	2.25	\$ 1,406
SWT4180R-2S	18.0	Red	Ultra Bright	1	800 ft	20.25	58.25	4.50	\$ 2,751



SWT4120R



SWT4180R



Serial Wire 6 Digit Tiger Master or Secondary

800-295-0220

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Display		Sides	Viewing Distance	Dimensions			Price MSRP
	HH:MM	Seconds	Color	Type			H	W	D	
SWT618B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 414
SWT618B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 865
SWT618B-4S	1.8	1.8	Blue	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,587
SWT618G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 414
SWT618G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 865
SWT618G-4S	1.8	1.8	Green	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,587
SWT618R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 318
SWT618R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 672
SWT618R-4S	1.8	1.8	Red	Bar Segment	4	40 ft	6.25	19.50	19.50	\$ 1,202

SWT625B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 495
SWT625B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 969
SWT625B-4S	2.5	1.8	Blue	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,965
SWT625G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 495
SWT625G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 969
SWT625G-4S	2.5	1.8	Green	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,965
SWT625R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 375
SWT625R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 729
SWT625R-4S	2.5	1.8	Red	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,484

SWT640B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 623
SWT640B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,225
SWT640B-4S	4.0	2.5	Blue	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,402
SWT640G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 623
SWT640G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,225
SWT640G-4S	4.0	2.5	Green	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,402
SWT640R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 454
SWT640R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 890
SWT640R-4S	4.0	2.5	Red	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 1,730

SWT670R	7.0	7.0	Red	Bar Segment	1	300 ft	9.88	47.75	2.25	\$ 776
SWT670R-2S	7.0	7.0	Red	Bar Segment	2	300 ft	9.88	47.75	4.50	\$ 1,491

SWT6120R	12.0	12.0	Red	Ultra Bright	1	600 ft	14.75	73.25	2.25	\$ 1,147
SWT6120R-2S	12.0	12.0	Red	Ultra Bright	2	600 ft	14.75	73.25	4.50	\$ 2,141

SWT6180R	18.0	18.0	Red	Ultra Bright	1	800 ft	20.25	89.25	2.25	\$ 2,078
SWT6180R-2S	18.0	18.0	Red	Ultra Bright	2	800 ft	20.25	89.25	4.50	\$ 3,931



SWT618G



Serial Wire 8 Digit Tiger Master or Secondary

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Color	Display Type	Sides	Viewing Distance	Dimensions			Price MSRP
	1st	2nd					H	W	D	
SWT818B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 426
SWT818B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,071
SWT818B-4S	1.8	1.8	Blue	Bar Segment	4	40 ft	6.25	19.50	22.50	\$ 1,613
SWT818G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 426
SWT818G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,071
SWT818G-4S	1.8	1.8	Green	Bar Segment	4	40 ft	6.25	19.50	22.50	\$ 1,613
SWT818R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 330
SWT818R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 686
SWT818R-4S	1.8	1.8	Red	Bar Segment	4	40 ft	6.25	19.50	22.50	\$ 1,228

SWT825B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 506
SWT825B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 986
SWT825B-4S	2.5	1.8	Blue	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,977
SWT825G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 506
SWT825G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 986
SWT825G-4S	2.5	1.8	Green	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,977
SWT825R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 386
SWT825R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 745
SWT825R-4S	2.5	1.8	Red	Bar Segment	4	75 ft	6.25	22.50	22.50	\$ 1,496

SWT840B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 630
SWT840B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,236
SWT840B-4S	4.0	2.5	Blue	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,429
SWT840G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 630
SWT840G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,236
SWT840G-4S	4.0	2.5	Green	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 2,429
SWT840R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 463
SWT840R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 900
SWT840R-4S	4.0	2.5	Red	Bar Segment	4	100 ft	8.25	28.50	28.50	\$ 1,757

SWT870R	7.0	4.0	Red	Bar Segment	1	300 ft	9.88	40.25	2.25	\$ 776
SWT870R-2S	7.0	4.0	Red	Bar Segment	2	300 ft	9.88	40.25	4.50	\$ 1,576



SWT840B showing time and Julian date



Serial Wire 4 Digit Mega Secondary

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Height	Display		Sides	Viewing Distance	Dimensions			Price MSRP
		Color	Type			H	W	D	
SWM418B	1.8	Blue	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 242
SWM418B-2S	1.8	Blue	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 584
SWM418B-4S	1.8	Blue	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,122
SWM418G	1.8	Green	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 242
SWM418G-2S	1.8	Green	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 584
SWM418G-4S	1.8	Green	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 1,122
SWM418R	1.8	Red	Bar Segment	1	40 ft	6.25	12.25	2.25	\$ 194
SWM418R-2S	1.8	Red	Bar Segment	2	40 ft	6.25	12.25	4.50	\$ 440
SWM418R-4S	1.8	Red	Bar Segment	4	40 ft	6.25	16.50	16.50	\$ 930

SWM425B	2.5	Blue	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 308
SWM425B-2S	2.5	Blue	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 667
SWM425B-4S	2.5	Blue	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,381
SWM425G	2.5	Green	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 308
SWM425G-2S	2.5	Green	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 667
SWM425G-4S	2.5	Green	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,381
SWM425R	2.5	Red	Bar Segment	1	75 ft	6.25	12.25	2.25	\$ 237
SWM425R-2S	2.5	Red	Bar Segment	2	75 ft	6.25	12.25	4.50	\$ 523
SWM425R-4S	2.5	Red	Bar Segment	4	75 ft	6.25	16.50	16.50	\$ 1,092

SWM440B	4.0	Blue	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 393
SWM440B-2S	4.0	Blue	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 814
SWM440B-4S	4.0	Blue	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,659
SWM440G	4.0	Green	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 393
SWM440G-2S	4.0	Green	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 814
SWM440G-4S	4.0	Green	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,659
SWM440R	4.0	Red	Bar Segment	1	100 ft	8.25	15.25	2.25	\$ 297
SWM440R-2S	4.0	Red	Bar Segment	2	100 ft	8.25	15.25	4.50	\$ 622
SWM440R-4S	4.0	Red	Bar Segment	4	100 ft	8.25	19.50	19.50	\$ 1,274

SWM470R	7.0	Red	Bar Segment	1	300 ft	10.87	35.25	2.25	\$ 622
SWM470R-2S	7.0	Red	Bar Segment	2	300 ft	10.87	35.25	4.50	\$ 1,343
SWM470R-4S	7.0	Red	Bar Segment	4	300 ft	10.87	38.25	38.25	\$ 2,580
SWM470UR	7.0	Red	Ultra Bright	1	400 ft	9.87	31.25	2.25	\$ 706
SWM470UR-2S	7.0	Red	Ultra Bright	2	400 ft	9.87	31.25	4.50	\$ 1,505
SWM470UR-4S	7.0	Red	Ultra Bright	4	400 ft	9.87	34.50	34.50	\$ 2,885

SWM4120R	12.0	Red	Ultra Bright	1	600 ft	14.75	47.25	2.25	\$ 982
SWM4120R-2S	12.0	Red	Ultra Bright	2	600 ft	14.75	47.25	4.50	\$ 1,937

SWM4180R	18.0	Red	Ultra Bright	1	800 ft	20.25	58.25	2.25	\$ 1,373
SWM4180R-2S	18.0	Red	Ultra Bright	2	800 ft	20.25	58.25	4.50	\$ 2,718



SWM425R



SWM425B



SWM425G



Serial Wire 6 Digit Mega Secondary

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Display		Sides	Viewing Distance	Dimensions			Price MSRP
	HH:MM	Seconds	Color	Type			H	W	D	
SWM618B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 381
SWM618B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 832
SWM618G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 381
SWM618G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 832
SWM618R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	13.75	2.25	\$ 285
SWM618R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	13.75	4.50	\$ 639


SWM625B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 462
SWM625B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 936
SWM625G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 462
SWM625G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 936
SWM625R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	16.25	2.25	\$ 342
SWM625R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	16.25	4.50	\$ 696

SWM640B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 590
SWM640B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,192
SWM640G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 590
SWM640G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 1,192
SWM640R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	19.75	2.25	\$ 421
SWM640R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	19.75	4.50	\$ 857

SWM670R	7.0	7.0	Red	Bar Segment	1	300 ft	9.88	47.75	2.25	\$ 743
SWM670R-2S	7.0	7.0	Red	Bar Segment	2	300 ft	9.88	47.75	4.50	\$ 1,458
SWM670UR	7.0	7.0	Red	Ultra Bright	1	400 ft	9.87	47.75	2.25	\$ 743
SWM670UR-2S	7.0	7.0	Red	Ultra Bright	2	400 ft	9.87	47.75	4.50	\$ 1,458

SWM6120R	12.0	12.0	Red	Ultra Bright	1	600 ft	14.75	73.25	2.25	\$ 1,114
SWM6120R-2S	12.0	12.0	Red	Ultra Bright	2	600 ft	14.75	73.25	4.50	\$ 2,201

SWM6180R	18.0	18.0	Red	Ultra Bright	1	800 ft	20.25	89.25	2.25	\$ 2,045
SWM6180R-2S	18.0	18.0	Red	Ultra Bright	2	800 ft	20.25	89.25	4.50	\$ 2,718



SWM640R



SWM670R

800-295-0220

Serial Wire 8 Digit Mega Secondary

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Model	Display Height		Color	Display Type	Sides	Viewing Distance	Dimensions			Price MSRP
	1st	2nd					H	W	D	
SWM818B	1.8	1.8	Blue	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 393
SWM818B-2S	1.8	1.8	Blue	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,038
SWM818G	1.8	1.8	Green	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 393
SWM818G-2S	1.8	1.8	Green	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 1,038
SWM818R	1.8	1.8	Red	Bar Segment	1	40 ft	6.25	15.25	2.25	\$ 297
SWM818R-2S	1.8	1.8	Red	Bar Segment	2	40 ft	6.25	15.25	4.50	\$ 653

SWM825B	2.5	1.8	Blue	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 712
SWM825B-2S	2.5	1.8	Blue	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 473
SWM825G	2.5	1.8	Green	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 953
SWM825G-2S	2.5	1.8	Green	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 473
SWM825R	2.5	1.8	Red	Bar Segment	1	75 ft	6.25	18.25	2.25	\$ 953
SWM825R-2S	2.5	1.8	Red	Bar Segment	2	75 ft	6.25	18.25	4.50	\$ 353

SWM840B	4.0	2.5	Blue	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 597
SWM840B-2S	4.0	2.5	Blue	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,203
SWM840G	4.0	2.5	Green	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 597
SWM840G-2S	4.0	2.5	Green	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 1,203
SWM840R	4.0	2.5	Red	Bar Segment	1	100 ft	8.25	24.25	2.25	\$ 430
SWM840R-2S	4.0	2.5	Red	Bar Segment	2	100 ft	8.25	24.25	4.50	\$ 867

SWM870R	7.0	4.0	Red	Bar Segment	1	300 ft	9.88	40.25	2.25	\$ 743
SWM870R-2S	7.0	4.0	Red	Bar Segment	2	300 ft	9.88	40.25	4.50	\$ 1,543

SWM8120R	12.0	7.0	Red	Ultra Bright	1	600 ft	15.00	96.25	2.25	\$ 1,823
----------	------	-----	-----	--------------	---	--------	-------	-------	------	----------



ENM840G showing time and date information



Options

800-295-0220

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

Alarm and Sound Devices for Tiger Series Only		
Option	MSRP	Description
AH	\$ 95.28	Electronic Alert Horn (124db at the device)
AL	\$ 28.78	Single Channel Output Relay (Dry Contact)
AL4	\$ 118.11	4 Channel Output Relay for Zone Control (Dry Contact)
AP	\$ 34.74	Peizzo Buzzer (85 db at the clock)
CR3	\$ 589.58	CDMA Atomic Time Receiver (North America Only)
EN	\$ 147.89	Ethernet Interface (NTP time sync and UDP parameter control)
GP	\$ 560.79	GPS Atomic Time Receiver (Indoor or Outdoor Mount)
SB	\$ 297.77	IRIG-B / SMPTE Receiver
USB	\$ 147.89	USB Interface (USB/RS422 Converter)

Additional Function Options for Mega or Tiger Series			
Option	MSRP	Unit	Description
AB	\$ 28.78	Per Clock	Auto Brightness Option
IR	\$ 100.00	Per Clock	Infrared Remote Control and Receiver
IR1	\$ 45.00	Each	Additional Handheld Infrared Remote Control
LG018	\$ 27.79	Per Clock	Lexan Guard for 4, 6 or 8 digit 1.8 Inch LED clocks
LG025	\$ 48.63	Per Clock	Lexan Guard for 4, 6 or 8 digit 2.5 Inch LED clocks
LG040	\$ 69.48	Per Clock	Lexan Guard for 4, 6 or 8 digit 4.0 Inch LED clocks
NE1.5	\$ 104.00	Per Clock	NEMA4x Enclosure for 4 digit 1.8 inch and 2.5 inch
NE2	\$ 116.13	Per Clock	NEMA4x Enclosure for 4 digit 4.0 inch and 6 digit 1.8 inch
NE3	\$ 176.67	Per Clock	NEMA4x Enclosure for 6 digit 2.5 inch and 4.0 inch
RB1	\$ 60.00	Per Clock	Recessed Box for 4 digit displays
RB2	\$ 75.00	Per Clock	Recessed Box for 6 digit displays
TS	\$ 28.78	Per Clock	Temperature Sensor

Available Mounting Options for Double Sided Clocks (Wire Hang Default)			
Option	MSRP	Unit	Description
HMC	\$ 28.00	Per Clock	Hug Mount, Ceiling (2 sided clocks)
HMW	\$ 28.00	Per Clock	Hug Mount, Wall (2 sided clocks)
PM2	\$ 57.00	Per Clock	Pole Mount, Double (2 or 4 sided clocks)

Available Frame Configurations		
Option	Price	Description
F1	\$ -	Black with a rounded front edge (Default)
F3	\$ -	Silver with a rounded front edge
F4	\$ -	Black with a flat 90° front edge

Available Power Configurations		
Option	Price	Description
P01	\$ -	110 volt AC Adapter with 18ft low voltage cord
P03	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, no plug, European Wiring
P04	\$ -	100-240 volts AC, 50-60 cycle, AC Adapter with 18ft cord
P05	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, used with Conduit Connector
P0808	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8ft cord and U.S. style plug
P0812	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 12ft cord and U.S. style plug
P09	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, short low profile U.S. style plug
P11	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8 ft cord and British plug
P12	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8 ft cord and Australian plug
P16	\$ -	100-240 volts AC, 50-60 cycle, internal transformer, 8 ft cord and European plug



TERMS

600 N. River Street • Derby, Kansas 67037 • 316-788-2000 • Fax 720-293-9393 • sales@brgproducts.com • www.brgprecision.com

GSA Customers - Contract Number GS-02F-0030U

Shipping to North American destinations is free of charge on UPS Ground. Shipping to APO/FPO addresses is free of charge on DHL with street address or the United States Postal Service. Tracing is unavailable on USPS and claims for lost shipments cannot be filed for 75 days. For these reasons, DHL is the preferred international shipment method.

Commercial and Industrial Customers

First time and international customers must be prepaid. Shipping to United States destinations is 4.75% of order total on UPS Ground. International destinations will be quoted. All freight arrangements are the responsibility of the customer if other carriers are required. International shipping charges are responsibility of customer for both order and warranty repairs.

Lead Time

Allow up to 3 weeks for standard production. Certain models are built to stock and will have a 1 week lead time. Fast Track Production within 5 business days is available on select models. Fast Track Production requires prepayment and costs 10% of the order total.

Warranty

See www.brgprecision.com/support/warranty.php for full warranty and return policy information. Standard warranty is 1 year with a 2 year extended warranty available at an additional cost.

Special note on NET30 purchases

Time zone display purchases not prepaid will include a timer that will display "CALL" in the first position if payment is not received in a reasonable amount of time. An unlock code will be provided when payment is received that will return the unit to normal time display.