

3010I Time Zone Clock

www.brgprecsion.com

Specifications

En

We

Co 301

•	
Display:	Five zone, 4 digit user changeable multi-color bar segment LED time displays with 10 character dot matrix LED zone labels.
Zone Capacity:	Up to 20 time zones can be displayed by page flipping zones 4 times.
Display Format:	12 or 24 hour format. (American or European). Numeric Year, and Julian Date
Clock Accuracy:	BRG Time Zone Clocks will display the correct time tor the life of the clock. Factory synchronized with the Atomic Clock, no external synchronization methods are required.
Computer Interface:	USB interface is standard, Ethernet interface is available in lieu of the USB at no cost.
Manual Controls:	Wireless IR Remote Control Included. USB-IR fob and Time Commander graphical remote control programmer are available options.
Operating Mode:	Time zones with 11 Daylight Saving automatic adjustments and 5 incremental offsets.
Digit Height:	2.5" bar segment LEDs for time, 1.2" dot matrix LEDs for zone labels.
Visibility:	Up to 75 feet
Dimensions:	40.25" Tall x 15.25" Wide x 3.25" Deep
Power Requirement:	100-240 volts AC, 50-60 cycle, internal transformer, 12 ft cord standard with US plug standard.
Operating Temperature:	-32° F to 120°F
Humidity:	0% to 95% Non-condensing
Construction:	Black anodized Aluminum frame with plexig

User Changeable Multi-Color LED Colors



Model 3010I - 2.5" time, 1.2" zone labels, 5 zones

Kansas 67037

Construction: Black anodized Aluminum frame with plexiglass front lens. Mounting hardware included.

User Changeable Multi-Color LED Colors

	07:0 / HAWAII	0901 PACIFIC		/ /:// / CENTRAL	12:01 EASTERN	 1:[] ZULU	18:0 1 GERMANY	
	Red	Green	Blue	Yellow	Magenta	Cyan	White	
nail: sales@brgproducts.com eb Site: https://www.brgprecision.com pyright 2022, BRG Precision Products, All rights reserved, 101 Spec Sheet Rev 1.0 09.22.2022			BRG		600 N River Street • Derby, Kar 800-295-0220 • 316-788-2000 Fax: 316-788-7080			