

www.brgprecsion.com

5910 Style Time Zone Clock



Model 5910 5910J - 1.2" time, 1.2" zone labels, 5 zone

The 5910 series time zone clocks have 10 character dot matrix LED time displays with a 15 character dot matrix digital zone label below. In many 5910 models, the clock can display up to 10 time zones through page flipping. For Example, a three zone clock can show three pages of time zone information. Likewise, a five zone unit can show two pages.

Each 5910 clock comes standard with an OCXO oscillator, which is accurate to .06 seconds per year.

For easy clock management, an infrared (IR) remote control is included with every 5910 model. An optional BRG Time Commander IR Touch Pad Remote control to use with all of your time zone clocks.

Every 5910 model includes your choice of an Ethernet or USB interface for easy time zone parameter control.

Features:

- OCXO oscillator accurate to .06 seconds per vear
- 1.2" or 2.0" user changeable multi-color dot matrix LEDs for displaying time (red, blue, green, yellow, magenta, cyan or white LEDs)*
- 1.2" or 2.0" user changeable multi-color 15 character alpha numeric dot matrix LEDs for displaying zone names*
- Models that display from 2 to 5 separate time zones
- Zone flipping feature that allows up to 10 zones in a single clock*
- 12 or 24 hour format
- DST and time zone offsets supported
- PC Interface: USB Interface
- IR remote control included
- Black brushed Aluminum frame
- Multiple cord lengths available
- US, British, Australian or European plugs
- 100-240 VAC. 50-60 cycle power
- Available on GSA, contract GS-02F-0030U



Oven Controlled Crystal Oscillator (OCXO)

- Accurate to 2 PPB (parts per Billion) or .06 seconds per year or about 1 second in 20 years
- 1 thousand times more accurate than most competing clocks
- Eliminates the need for GPS or Network time synchronization for clocks not displaying seconds

5910 Style Time Zone Clocks



Model 5910I - 2.0" time, 1.2" zone labels, 4 zone

Model	Physical	Maximum		Time		Label		Viewing	Dimensions		
	Positions	Pages	Zones	Size	Digits	Size	Digits	Distance	Н	W	D
5910B	2	5	10	1.2"	10	1.2"	15	30 ft.	7.25	36.25	3.25
5910C	3	3	9	1.2"	10	1.2"	15	30 ft.	7.25	54.25	3.25
5910D	4	2	8	1.2"	10	1.2"	15	30 ft.	7.25	72.25	3.25
5910E	5	2	10	1.2"	10	1.2"	15	30 ft.	7.25	90.25	3.25
5910G	2	5	10	2.0"	10	1.2"	15	70 ft.	8.25	40.25	3.25
5910H	3	3	9	2.0"	10	1.2"	15	70 ft.	8.25	60.25	3.25
5910I	4	2	8	2.0"	10	1.2"	15	70 ft.	8.25	80.25	3.25
5910J	5	2	10	2.0"	10	1.2"	15	70 ft.	8.25	96.25	3.25
5910L	2	5	10	2.0"	10	2.0"	15	70 ft.	9.25	60.25	3.25
5910M	3	3	9	2.0"	10	2.0"	15	70 ft.	9.25	90.25	3.25

User Changeable Multi-Color LED Colors





