

6610DCCD Time Zone Clock

www.brgprecsion.com

User Changeable Multi-Color LED Colors

88:85	8835	8888	88:35	08:35	#8:35	10:35	88:85	88:85	8888	8835
HAWAII	ALASKA	MPACIFIC	MOUNTAIN	CENTRAL	EASTERN	HAVANA	P.RICO	SAO PAULO	CANARYIISU	2010
88:85	#5:35	/15:35	88:85	#335	8888	88:35	8888	22:35	22:35	22:35
LONDON	FRANKFURT	WARSAW	KYIU	KUWAIT	QATAR	IRAQ	AEGHANISTN	SINGAPORE	BEIJING	JAPAN

Model 6610DCCD - 1.8" time, 1.2" zone labels, 4 modules, 22 zones

Specifications

Display: Four individual time zone sections that make up a 22 zone, 4 digit user changeable multi-

color bar segment LED time displays with 10 character dot matrix LED zone labels.

Zone Capacity: Up to 22 time zones can be displayed by page flipping zones 1 time

Display Format: 12 or 24 hour format, Numeric Date, (American or European), Numeric Year, and Julian Date

Clock Accuracy: BRG Time Zone Clocks will display the correct time tor the life of the clock. Factory synchronized

with the Atomic Clock, no external synchronization methods are required.

Computer Interface: USB interface is standard, Ethernet interface is available in lieu of the USB at no cost.

Manual Controls: Wireless IR Remote Control Included. USB-IR fob and Time Commander graphical remote

control programmer are available options.

Operating Mode: Time zones with 11 Daylight Saving automatic adjustments and 5 incremental offsets.

Digit Height: 1.8" bar segment LEDs for time, 1.2" dot matrix LEDs for zone labels.

Visibility: Up to 40 feet

Power Requirement: 100-240 volts AC, 50-60 cycle, internal transformer, 12 ft cord standard with US plug standard.

Dimensions: 7.25" Tall x 287.0" Wide x 3.25" Deep

Operating Temperature: -32° F to 120°F

Humidity: 0% to 95% Non-condensing

Construction: Black anodized Aluminum frame with plexiglass front lens. Mounting hardware included.

User Changeable Multi-Color LED Colors

<i>□ 7:□ </i>	□9:□	10:0 1	<i>¦ ¦:□ ¦</i>	12:0	/ 7:0 /	18:0
HAWAII	PACIFIC	MOUNTAIN	CENTRAL	EASTERN	2000	GERMANY
Red	Green	Blue	Yellow	Magenta	Cyan	White



