6610DD Time Zone Clock

www.brgprecsion.com

User Changeable Multi-Color LED Colors

8386 0835 8035 8035 8435 8835	2235 2338 2805 2235 2335
PROFILE MOUNTAIN CENTRAL EASTERN ZULU IRAQ	KUWAIT TOHTHR AFGHANISTN SINGAPORE BEIJING SEONL

Model 6610DD - 1.8" time, 1.2" zone labels, 2 modules, 12 zones

Specifications

Display:	Two individual 6 zone time zone sections that make up an 12 zone, 4 digit user changeable multi- color bar segment LED time displays with 10 character dot matrix LED zone labels.
Zone Capacity:	Up to 24 time zones can be displayed by page flipping zones 2 times
Display Format:	12 or 24 hour format, Numeric Date, (American or European), Numeric Year, and Julian Date
Clock Accuracy:	BRG Time Zone Clocks will display the correct time tor the life of the clock. Factory synchronized with the Atomic Clock, no external synchronization methods are required.
Computer Interface:	USB interface is standard, Ethernet interface is available in lieu of the USB at no cost.
Manual Controls:	Wireless IR Remote Control Included. USB-IR fob and Time Commander graphical remote control programmer are available options.
Operating Mode:	Time zones with 11 Daylight Saving automatic adjustments and 5 incremental offsets.
Digit Height:	1.8" bar segment LEDs for time, 1.2" dot matrix LEDs for zone labels.
Visibility:	Up to 40 feet
Power Requirement:	100-240 volts AC, 50-60 cycle, internal transformer, 12 ft cord standard with US plug standard.
Dimensions:	7.25" Tall x 156.5" Wide x 3.25" Deep
Operating Temperature:	-32° F to 120°F
Humidity:	0% to 95% Non-condensing
Construction:	Black anodized Aluminum frame with plexiglass front lens. Mounting hardware included.

09:01 12:01 17:01 | |:[] | 18:0 1 PACIFIC CENTRAL EASTERN ZULU GERMANY ATT Red Green Blue Yellow Magenta White Cyan



Email: sales@brgproducts.com Web Site: https://www.brgprecision.com Copyright 2022, BRG Precision Products, All rights reserved, 6610DD Spec Sheet Rev 1.0 07.07.2022



600 N River Street • Derby, Kansas 67037 800-295-0220 • 316-788-2000 Fax: 316-788-7080

User Changeable Multi-Color LED Colors