




# PoE Analog Clock Setup



BRG Precision Products Power-over-Ethernet (PoE) Analog Clocks are available in 12" and 15" sizes and have either a black polycarbonate case or a brushed Aluminum case.


## Description

PoE is a recognized standard (IEEE802.3 AF/AT) for delivering power over an Ethernet cable. PoE uses a single CAT5 or higher Ethernet cable to provide both power and synchronized signals, which saves on installation costs and maintenance.


## Setup Instructions

BRG can pre-configure the clock's time display rules at the factory.

1. Note the MAC address on the back of the clock.
2. Connect the clock to the same subnet as the PC. DHCP should be available on the network.
3. Download the BRGDIG program available at [http://www.brgprecision.com/support/software\\_downloads/BRGDIG.zip](http://www.brgprecision.com/support/software_downloads/BRGDIG.zip)
4. Run the program and go to Setup > Clock IP Discovery and click on the "Locate . . ." button.
5. Enter the IP address found into a network browser to locate the clock's web server
6. In the clock's web server, click on "Time Zone Configuration" from the menu on the left
7. If prompted, enter the username: user and password: password
8. Enter the desired time display rules
9. Click on the "Apply" button at the bottom of the page.
10. Click on Reboot from the menu on the left, then click on Reboot on the screen.
11. Exit the web server.
12. Press the reset button on the clock to reset the hands and update the time.



### Connection with PoE Switch




### Double Sided Bracket




Available in either silver or black, these heavy duty steel brackets can easily be mounted on a wall or from the ceiling.


### Connection with PoE Injector



### Clock Lock



Keep your PoE clocks from being an easy target for thieves with the ALB analog clock lock bracket. These brackets are available for all analog clocks.



Clock Dimensions Surface			Box Dimensions & Weights				
Clock Model	A	B	Single Clock		Case of Clocks		
			Box Size	Weight	Case Size	Qty Clks	Weight
PE12P	11.75"	1.75"	17.0"x17.0"x13"	2.25 lbs	20"x 26"x 16"	10	22.5 lbs
PE12A	11.87"	2.0"	17.0"x17.0"x13"	2.94 lbs	20"x 26"x 16"	10	29.4 lbs
PE15P	14.75"	1.87"	20"x20"x16"	3.56 lbs	20"x 26"x 16"	5	17.8 lbs
PE15A	15.0"	2.13"	20"x20"x16"	4.38 lbs	20"x 26"x 16"	5	21.9 lbs

600 N River Street • Derby, Kansas 67037  
 800-295-0220 • 316-788-2000  
 Sales Fax: 316-788-7080  
 Email: [sales@brgproducts.com](mailto:sales@brgproducts.com)  
 Web Site: <http://www.brgprecision.com>

