

## 7710II Time Zone Clock

www.brgprecsion.com

## **User Changeable Multi-Color LED Colors**

8888	88:35	88:88	88:35	88:85	84:35	85:35	88:88
PEARL HARBOR	MCAS MIRAMAR	SPACE FORCE	MCCONNELL AFB	WASHINGTON DC	ZULU - GMT	FRANKFURT GER	WARSAW POLAND

Model 7710II - 2.5" time, 1.2" - 15 character zone labels, 8 zones

## **Specifications**

Display: Eight zone, 7 segment user changeable multi-color bar segment LED time displays with

1.2" - 15 character dot matrix LED zone labels.

Zone Capacity: Up to 16 time zones can be displayed by page flipping zones 2 times

**Display Format:** 12 or 24 hour format. Alpha-numeric date is custom configurable in up to four languages

(English, French, German & Spanish). Alpha dates, Julian dates and year formats can be laid

out in any order Numeric Year, and Julian Date

Clock Accuracy: BRG Time Zone Clocks will display the correct time tor the life of the clock. Factory synchronized

with the Atomic Clock, no external synchronization methods are required.

Computer Interface: USB interface is standard, Ethernet interface is available in lieu of the USB at no cost.

Manual Controls: Wireless IR Remote Control Included. USB-IR fob and Time Commander graphical remote

control programmer are available options.

Operating Mode: Time zones with 11 Daylight Saving automatic adjustments and 5 incremental offsets.

Digit Height: 2.5" bar segment LEDs for time, 1.2" dot matrix LEDs for zone labels alpha-numeric date.

Visibility: Up to 75 feet

Power Requirement: 100-240 volts AC, 50-60 cycle, internal transformer, 12 ft cord standard with US plug standard.

Dimensions: 7.25" Tall x 144.5" Wide x 3.25" Deep

Operating Temperature: -32° F to 120°F

Humidity: 0% to 95% Non-condensing

Construction: Black anodized Aluminum frame with plexiglass front lens. Mounting hardware included.

## **User Changeable Multi-Color LED Colors**





